AUTHOR INDEX, VOLUME 9

Ackers, G. K.: see Halvorson, H. R.
Adams, G. C.: Orientation Effects in Biaxially Stretched Linear Polyethylene, 1235
Aklonis, J. J.: see Kelchner, R. E.
Andrianova, G. P., Kechekyan, A. S., and Kargin, V. A.: Self-Oscillation Mechanism of Necking on Extension of Polymers, 1919
—: see Kargin, V. A.
Armeniades, C. D. and Baer, E.: Structural Origin of the Cryogenic Relaxations in Poly(ethylene Terephthalate), 1345
Asanuma, A.: see Nomura, S.
Ashmead, B. V. and Owen, M. J.: Adsorption of Polydimethylsiloxanes from Solution on Glass, 331
Baccaredda, M., Magagini, P. L., and Guisti, P.: Secondary Relaxation Effects in Poly(1,4-cyclohexylene Ether) and Poly(cyclohexylethylene Oxide), 1341
Baer, E.: see Armeniades, C. D.
—: see Harrison, I. R.
Bares, J.: Properties of Ethylene-Propylene-Vinyl Chloride Graft Copolymers. I. Viscoelasticity of Ethylene-Propylene Copolymers, 1271
—and Pegoraro, M.: Properties of Ethylene–Propylene-Vinyl Chloride Graft Copolymers. II. Viscoelasticity and Composition of Graft Copolymer and Composite, 1287
Bartenev, G. M.: A New Relation Process in the High-Elastic State at Low Temperatures, 1371
Bassett, D. C.: see Rees, D. V.
Bassi, I. W., Bonsignori, O., Lorenzi, G. P., Pino, P., Corradini, P., and Temussi, P. A.: Structure and Optical Activity of a Crystalline Modification of Isotactic Poly-(S)-4-Methyl-1-hexene, 193
Begg, A. H. and Pugh, D.: Electronic States at Defects in Infinite Polyenes, 747
Berghmans, H., Safford, G. J., and Leung P. S.: Study of Low-Frequency Motions of Extended Chains in Polyethylene by Neutron Inelastic Scattering, 1219
Berry, G. C.: Thermodynamic and Conformational Properties of Polystyrene. III. Dilute Solution Studies on Branched Polymers, 687
Blumstein, A., Parikh, K. R., Malhotra, S. L., and Blumstein, R.: Polymerization of Monolayers. VI. Influence of the Nature of the Exchangeable Ion on the Tacticity of Insertion Poly-(Methyl Methacrylate), 1681
Blumstein, R.: see Blumstein, A.
Block, R. E. and Spencer, H. G.: Monomer Sequence Distributions in Copolymers of Vinylidene Chloride and Methacrylonitrile by PMR Spectroscopy, 2247
Boerio, F. J. and Koenig, J. L.: Vibrational Analysis of Poly(vinylidene Fluoride), 1517
Bonsignori, O.: see Bassi, I. W.
Borch, J., Sundararajan, P. R., and Marchessault, R. H.: Light Scattering from Cellulose. III. Morphology of Wood, 313
Brown, A., Gillbro, T., and Nilsson, B.: Crystal Structure of Methyl Acrylate, 1509
Buchanan, D. R.: Analysis of Small-Angle X-Ray Diffraction from Polymers, 645
Buchdahl, R.: see Morgan, R. J.
Buckley, C. P. and McCrum, N. G.: Annealing Effects and the α Relaxation in Drawn Polyethylene, 369
Budzol, M.: see Roberts, G. P.
Butcher, A. F.: see Stratton, R. A.
Butler, R. H.: see Prevorsek, D. C.
Chien, H. and Isihara, A.: Dependence of the Intrinsic Viscosity of Polyelectrolytes on the Concentration of Added Salt, 2253
Christ, Jr., B.: Spin-Lattice Relaxation from Endgroups in Atactic Polystyrenes, 1719

Chung, C. I. and Sauer, J. A.: Low-temperature Mechanical Relaxations in Polymers Containing Aromatic Groups, 1097
Circlin, E. H.: see Kaelble, D. H.
Clough, S. B., Stein, R. S., and Picot, C.: Low-Angle Light-Scattering Equations for Polymer Spherulites, 1147
Corradini, P.: see Bassi, I. W.
Cote, J. A. and Shida, M.: Long-Chain Branching in Low-Density Polyethylene, 421
Crist, B. and Peterlin, A.: Segmental Motion in Polyoxymethylene, 557
Crystal, R. G. and Southern, J. H.: Morphology of Polyethylene Crystallized Under the Simultaneous Influence of Pressure and Orientation in a Capillary Viscometer, 1641
Davis, D. D.: see Kaufman, S.
DeGraff, A. W. and Poehlein, G. W.: Emulsion Polymerization of Styrene in a Single Continuous Stirred-Tank Reactor, 1955
Delf, B. W.: see Phillips, P. J.
DiBenedetto, A. T.: see Droste, D. H.
Dishon, M., Stroot, M. T., Weiss, G. H., and Yphantis, D. A.: New Approach to the Effects of Pressure Dependence on Sedimentation Velocity Experiments, 939
Dole, M.: see Roberts, G. P.
Donkai, N.: see Kotaka, T.
Droste, D. H., DiBenedetto, A. T., and Stejskal, E. O.: Multiple Phases in Filled Polymers Detected by Nuclear Spin Relaxation Studies, 187
Dzyura, E. A.: see Vinogradov, G. V.
Eisenberg, A., Matsura, H. and Yokoyama, T.: Glass Transition in Ionic Polymers: The Acrylates, 2131
Elyashevich, A. M.: see Goldstein, B. N.
Endo, H., Fujimoto, T., and Nagasawa, M.: Normal Stress and Shear Stress in a Viscoelastic Liquid Under Steady Shear Flow: Effect of Molecular Weight Heterogeneity, 345
Ferry, J. D.: see Wong, C-P.
Flanagan, R. D.: see Rijke, A. M.
Fourche, G.: see Lemaire, B.
Fox, T. G: see Pyun, C. W.
Fujimoto, T.: see Endo, H.
Fukada, E.: see Konaga, T.
Fukuda, M., Wilkes, G. L., and Stein, R. S.: Stress-Optical Coefficient of Poly-1,4-butadienes, 1417
Gaines, Jr., G. L.: Surface Tension of Polymer Solutions. III. Effect of Molecular Weight Distribution, 1333
Gent, A. N.: Adhesion of Viscoelastic Materials to Rigid Substrates, II. Tensile Strength of Adhesive Joints, 283
—and Kinloch, A. J.: Adhesion of Viscoelastic Materials to Rigid Substrates. III. Energy Criterion for Failure, 659
—and Kuan, T. H.: Stress-Optical Coefficients of Swollen Polymer Networks, 927
Gekko, K.: see Ochiai, H.
Gillbro, T., Kinell, P.-O., and Lund, A.: ESR Single-Crystal Study of Radical and Radical-Pair Formation in Some γ-Irradiated Vinyl Monomers, 1495
—: see Brown, A.
Giusti, P. see Pizzirani, G.
Glenz, W. and Peterlin, A.: Infrared Studies of Drawn Polyethylene. II. Orientation Behavior of Highly Drawn Linear and Ethyl-Branched Polyethylene, 1191
—, Peterlin, A., and Wilke, W.: Crystallite Size in Highly Drawn Polyethylene, 1243
Goetze, K. P., Porter, R. S. and Johnson, J. F.: Column Fractionation of Polymers. XXI. Gel-Permeation Chromatography: The Effect of Sample Viscosity on Elution Characteristics, 2258
Goldanskii, V. I.: see Kargin, V. A.
Goldstein, B. H., Goryunov, A. N., Gotlib, Yu. Ya., Elyashevich, A. M., Zubova T. P., Koltzov, A. I., Nemirovskii, V. D., and Skorokhodov, S. S.: Investigation of Cooperative Kinetics in Reactions of Functional Groups on Polymer Chains, 769
Goodhead, D. T.: ESR Study of Radiation Damage in TPX Polymer (Poly-4-methyl-pentene-1), 999
Goodman, N. and Morawetz, H.: Reaction Kinetics in Dilute Solutions of Chain Molecules Carrying Randomly Spaced Reactive and Catalytic Chain Substituents. II. Dependence of the Ring Closure Probability on the Solvent Medium and the

Nature of the Chain Background, 1657
Gordon, G. A.: Glass Transition in Nylons, 1693
Goring, D. A. I.: see Sandell, L. S.
Goryunov, A. N.: see Goldstein, B. N.
Gotlib. Yu. Ya: see Goldstein, B. N.
Grechanovskii, V. A.: see Vinogradov, G. V.
Gregory, R. L.: see Livingston, H. K.
Guisti, P.: see Baccaredda, M.
Halvorson, H. R. and Ackers, G. K.: Axial Dispersion of Solute Zones in Gel Permeation Chromatography, 245
Harrison, I. R. and E. Baer: Halogenation of Polyethylene. I. Bromination of Single Crystals, 1305
Hartmann, B. and Jarzynski, J.: Ultrasonic Propagation in the Vicinity of the Glass Transition of a Poly(Carborane Siloxane), 763
Hashimoto, T. and Stein, R. S.: Scattering of Light by Disordered Spherulites. II. Effect of Disorder in the Magnitude of the Anisotropy, 1747
—: see Kawasaki, N.
—: see Stein, R. S.
Hassan, A. M. and Ray, Jr., L. N.: Characterization of Moisture-Cured Polyurethane Films, 1591
Haward, R. N., Murphy, B. M., and White, E. F. T.: Relationship between Compressive Yield and Tensile Behavior in Glassy Thermoplastics, 801
Hermans, J. J.: see Nakazawa, A.
Hoar, T. P.: see Sykes, J. M.
Hobbs, S. Y. and Mankin, G. I.: On the Determination of Polymer Crystallinities from Thermal Measurements, 1907
Hoeve, C. A. J.: see Wagner, H. L.
Holmes, L. A., Kusamizu, S., Osaki, K., and Ferry, J. D.: Dynamic Mechanical Properties of Moderately Concentrated Polystyrene Solutions, 2009
Holoubek, J.: Small-Angle Light Scattering by an Anisotropic Cylinder, 2105
Hopkins, A. and Howard, G. J.: Adsorption of Polymers at the Solution-Solid Interface. V. Styrene-Methyl Methacrylate Copolymers on Carbon, 841
Howard, G. J.: see Hopkins, A.
Huckshold, K. A.: see Kardos, J. L.
Hunter, J. T.: see Rijke, A. M.
Inagaki, H.: see Kotaka, T.
Ishida, Y.: see Osaki, S.
Isihara, A.: see Chien, H.
—: see Yeh, R.
Ishikawa, K.: see Yamada, M.
Ito, Y., Katsura, S., and Tabata, Y.: Application of Positron Lifetime Measurement to the Study of Solid-State Polymerization of Dimethyl Itaconate 1525
Jarzynski, J.: see Hartmann, B.
Johnson, J. F.: see Goetze, K. P.
Kaelble, D. H. and Cirlin, E. H.: Dispersion and Polar Contributions to Surface Tension of Poly(methylene Oxide) and Na-Treated Polytetrafluoroethylene, 363
Kanamoto, T., Tanaka, K., and Nagai, H.: Growth and Morphology of Single Crystals of Linear Aliphatic Polyesters, 2043
Kanetsuna, H.: see Obata, H.
Kardos, J. L., Li, H.-M., and Huckshold, K. A.: Fractionation of Linear Polyethylene during Bulk Crystallization under High Pressure, 2061
Kargin, V. A., Andrianova, G. P., Tsarevskaya, I. Yu., Goldanskii, V. I., and Yampolskii, P. A.: Structural Phenomena in Polymers Arising at Low Temperatures and by the Action of High Forces, 1061
—: see Andrianova, G. P.
Katsura, S.: see Ito, Y.
Kaufman, L. J. and Bettelheim, F. A.: Effect of Water Sorption on the Dielectric Behavior of Calcium Chondroitin-4-Sulfate, 917
—: see Bettelheim, F. A.
Kaufman, S., Slichter, W. P., and Davis, D. D.: Nuclear Magnetic Resonance Study of Rubber-Carbon Black Interactions, 829
Kavesh, S. and Schultz, J. M.: Lamellar and Interlamellar Structure in Melt-Crystallized Polyethylene. II. Lamellar Spacing, Interlamellar Thickness, Interlamellar Density, and Stacking Disorder, 85
Kawai, H.: see Nomura, S.
Kawasaki, N. and Hashimoto, T.: Mechanical Dispersions of Crystalline Poly(vinyl Fluoride), 2095

Kechekyan, A. S.: see Andrianova, G. P.
Kelchner, R. E. and Aklonis, J. J.: Measurement of the Stress-Relaxation Modulus in the Primary Transition Region, 609
Keller, A., Martuscelli, E., Priest, D. J., and Udagawa, Y.: Fold Surface of Polyethylene Single Crystals as Assessed by Selective Degradation Studies. III. Application of the Improved Techniques to Single Crystals, 1807
—and Udagawa, Y.: Fold Surface of Polyethylene Single Crystals as Assessed by Selective Degradation Studies. II. Refinements of the Nitric Acid Degradation Method, 1793
—: see Udagawa, Y.
Kenney, M. E.: see Linsky, J. P.
Kindler, Jr., W. A. and Swanson, J. W.: Adsorption Kinetics in the Polyethylenimine Cellulose Fiber System, 853
Kinell, P.-O.: see Gillbro, T.
Kinloch, A. J.: see Gent, A. N.
Kobayashi, M.: see Tanaka, Y.
Koenig, J. L.: see Boerio, F. J.
—: see Meeks, M.
Koltzov, A. I.: see Goldstein, B. N.
Konaga, T. and Fukada, E.: Piezoelectricity in Oriented Films of Poly(γ-benzyl-L Glutamate), 2023
Kotaka, T., Donkai, N., and Inagaki, H.: Sedimentation Equilibrium in Nonideal Heterogeneous Systems. I. Fundamental Equations for Heterogeneous Solute Systems and Some Preliminary Results, 1379
Kraus, G., Naylor, F. E., and Rollmann, K. W.: Steady Flow and Dynamic Viscosity of Branched Butadiene-Block Copolymers, 1839
Kuan, T. H.: see Gent, A. N.
Kusamizu, S.: see Holmes, L. A.
Kusumoto, N., Yamamoto, T., and Takayanagi, M.: Morphological Effects on Formation and Behavior of Radicals in γ-Irradiated Polyethylene Single Crystals, 1173
Lamaze, C. E.: see Yasuda, H.
Lapčík, L. and Valko, L.: Kinetic Study of Dissolution of Poly(vinyl Chloride) in Cyclohexanone, 633
Lemaire, B. and Fourche, G.: Optical Anisotropy of Polymer Chains and Markov Processes. I. Polyethylene, 961
—and Fourche, G.: Optical Anisotropy of Polymer Chains and Markov Processes. II. Polyoxyethylene, 983
Lesse, P. F.: Generalizations of the Diffusion Equation, 755
Leung, P. S.: see Berghmans, H.
Li, H.-M.: see Kardos, J. L.
Linsky, J. P., Paul, T. R., and Kenney, M. E.: Planar Organosilicon Polymers, 143
Livingston, H. K. and Gregory, R. L.: Terephthalamide-Nylon Single Crystals Isolated from Dilute solutions of Hexafluoro-2,2-propandiol, 2081
Lorenzi, G. P.: see Bassi, I. W.
Lovering, E. G. and Wooden, D. C.: Equilibrium Melting Points of the Low-Melting and High-Melting Crystalline Forms of *trans*-1,4-Polyisoprene, 175
Lowell, F. N. and McCrum, N. G.: Diffusion Mechanisms in Solid and Molten Polyethylene, 1935
Lund, A.: see Gillbro, T.
Magagini, P. L.: see Baccaredda, M.
Magagnini, P.: see Pizzirani, G.
Magill, J. H.: Formation of Spherulites in Polyamides. V. "Odd-Odd" Polyamides, 815
Malhotra, S. L.: see Blumstein, A.
Malkin, A. Ya.: see Vinogradov, G. V.
Mankin, G. I.: see Hobbs, S. Y.
Manley, R. S. J.: Molecular Morphology of Cellulose, 1025
Marchessault, R. H.: see Borch, J.
Martuscelli, E.: see Keller, A.
Matsura, H.: see Eisenberg, A.
McCrum, N. G.: see Buckley, C. P.
—: see Lowell, F. N.
McGibbon, G., Rostron, A. J., and Sharples, A.: Photocurrents in Simple Polymer Systems. II. 569
Meeks, M. and Koenig, J. L.: Laser-Raman Spectra of Vinyl Chloride-Vinylidene Chloride Copolymers, 717
Meinel, G. and Peterlin, A.: Plastic Deformation of Polyethylene II. Change of Mechanical Properties during Drawing, 67

Middleman, S.: see Penwell, R. C.
Mills, N. J. and Nevin, A.: Oscillatory Shear Measurements on Polystyrene Melts in the Terminal Region, 267
Miyasaka, K.: see Yamada, M.
Monobe, K.: see Yamashita, Y.
Morawetz, H.: see Goodman, N.
—: see Taha, I. A.
Morgan, R. J., Nielsen, L. E., and Buchdahl, R.: Effect of Halogen Ring Substitution and Crazing on the Polystyrene δ Peak, 1915
Murphy, B. M.: see Haward, R. N.
Nagai, H.: see Kanamoto, T.
Nagasawa, M.: see Endo, H.
Nakamura, K. and Wada, Y.: Piezoelectricity Pyroelectricity and the Electrostriction Constant of Poly(vinylidene Fluoride), 161
Nakamura, N.: see Nomura, S.
Nakazawa, A. and Hermans, J. J.: Study of Compositional Distribution in a Styrene-Methyl Acrylate Copolymer by Means of Density-Gradient Centrifugation, 1871
Naylor, F. E.: see Kraus, G.
Nemirovskii, V. D.: see Goldstein, B. N.
Nevin, A.: see Mills, N. J.
Newman, V. A. and Song, S.: γ-α Transformation in Isotactic Polypropylene, 181
Nicodemo, D. A.: see Vermeulen, L. A.
Nielsen, L. E.: see Morgan, R. J.
Nilsson, B.: see Brown, A.
Nomura, S., Asanuma, A., Suehiro, S., and Kawai, H.: Crystal Orientation in a Semicrystalline Polymer in Relation to Deformation of Spherulites, 1991
—, Nakamura, N., and Kawai, H.: Graphical Representation of the State of Orientation of Polymer Systems, 407
Obata, H. and Kanetsuna, H.: Crystallinity and Conformational Changes in Poly(β-benzyl L-Aspartate), 1977
Ochiai, H., Gekko, K., and Yamamura, H.: Sorption Properties of Polypropylene, 1629
—, Shindo, H., and Yamamura, H.: Side-Chain Relaxation in Stereoregular Poly(isobuytl Methacrylate), 431
Oiwa, M.: see Uragami, T.
Olf, H. G.: NMR Observations of Drawn Polymers. VIII. Doubly Oriented Nylon 66, 1851
—and Peterlin, A.: NMR Observations of Drawn Polymers. VII. Nylon 66 Fibers, 1449
—and Peterlin, A.: NMR Observations of Drawn Polymers. IX. Chain Mobilization and Water Mobility in Nylon 66, 2033
O'Rourke, V. M.: see Plasek, D. J.
Osaki, K.: see Ferry, J. D.
Osaki, S., Uemura, S., and Ishida, Y.: Effects of a Static Electric Field upon Dielectric Properties of Poly(vinylidene Fluoride) and Poly(vinyl Fluoride), 585
—, Uemura, S., and Ishida, Y.: Effects of a Static Electric Field Upon Dielectric Properties of Poly-ε-caprolactam, 2099
Ouano, A. C.: Dispersion of Dilute Polymer Solution in Small-Diameter Tubing, 377
Owen, M. J.: see Ashmead, B. V.
Parikh, K. R.: see Blumstein, A.
Paul, T. R.: see Linsky, J. P.
Pegoraro, M.: see Bares, J.
Penwell, R. C. and Porter, R. S.: Effect of Pressure in Capillary Flow of Polystyrene, 463
—, Porter, R. S., and Middleman, S.: Determination of the Pressure Coefficient and Pressure Effects in Capillary Flow, 731
Peterlin, A.: see Crist, B.
—: see Glenz, W.
—: see Meinel, G.
—: see Olf, H. G.
—: see Sakaoku, K.
—: see Williams, J. L.
—: see Yasuda, H.
Pezdirtz, G. F.: see Rogowski, R. S.
Phillips, P. J., Wilkes, G. L., Delf, B. W., and Stein, R. S.: Dielectric and Rheo-optical Properties of Some Ethylene-Carbon Monoxide Copolymers, 499
Picot, C.: see Clough, S. B.
Pino, P.: see Bassi, I. W.
Pizzirani, G., Magagnini, P., and Giusti, P.: Glass Transition Temperatures of Some Linear Polymers Containing Phenyl Side Groups, 1133

Plazek, D. J. and O'Rourke, V. M.: Viscoelastic Behavior of Low Molecular Weight Polystyrene, 209
Prevorsek, D. C., Butler, R. H., and Reimschuessel, H. K.: Mechanical Relaxations in Polyamides, 867
Priest, D. J.: Fold Surface of Polyethylene Single Crystals as Assessed by Selective Degradation. I. Ozone Degradation Method, 1777
—: see Keller, A.
Poehlein, G. W.: see DeGraff, A. W.
Porter, R. S.: see Goetze, K. P.
—: see Penwell, R. C.
Pugh, D.: see Begg, A. H.
Pyun, C. W.: Composition Equation for Block Copolymers, 383
—: Some Probability Relations in Multicomponent Copolymers, 577
— and Fox, T. G: Polymerization Mechanisms and Stereosequence Distributions: A Monomer-Dimer Model, 615
Ranganath, R.: see Wild, L.
Rao, V. S. R.: see Yathindra, N.
Ray, Jr., L. N.: see Hassan, A. M.
Rees, D. V. and Bassett, D. C.: Crystallization of Polyethylene at Elevated Pressures, 385
Reimschuessel, H. K.: see Prevorsek, D. C.
Rijke, A. M., Hunter, J. T., and Flanagan, R. D.: Morphology of Polyethylene Crystallized by Solution Stirring, 531
Roberts, G. P., Budzol, M., and Dole, M.: Radiation Chemistry of Poly(propylene Oxide), 1729
Robertson, R. E.: Occurrence of Rippling During the Deformation of Oriented Polyethylene, 453
—: Crystal Deformation During the Growth of Kink Bands in Oriented Polyethylene, 1255
Rogowski, R. S.: Concentration of Radicals in γ-Irradiated Poly(ethylene Terephthalate), 1911
— and Pezdirtz, G. F.: Electron Spin Resonance of γ-Ifradiated Poly(ethylene 2,6-naphthalene Dicarboxylate), 2111
Rollmann, K. W.: see Kraus, G.
Rostron, A. J.: see McGibbon, G.
Ryle, T.: see Wild, L.
Sadler, D. M.: Fractionation during Crystallization, 779
Safford, G. J.: see Berghmans, H.
Sakaouku, K. and Peterlin, A.: Electron Microscopy of Drawn Polypropylene, 895
Samuels, R. J.: Small-Angle Light Scattering from Optically Anisotropic Spheres and Disks. Theory and Experimental Verification, 2165
Sandell, L. S. and Goring, D. A. I.: Correlation between the Temperature Dependence of Apparent Specific Volume and the Conformation of Oligomeric Propylene Glycols in Aqueous Solution, 115
Santappa, M.: see Vasudevan, P.
Sauer, J. A.: see Chung, C. I.
Schindler, A.: see Yasuda, H.
Scholte, Th. G.: Thermodynamic Parameters of Polymer-Solvent Systems from Light-Scattering Measurements Below the Theta Temperature, 1553
Schrag, J. L.: see Wong, C-P.
Schultz, J. M.: see Kavesh, S.
Sharples, A.: see McGibbon, G.
Shida, M.: see Cote, J. A.
Shindo, H.: see Ochiai, H.
Sibilia, J. P.: Orientation in Nylon 6 Films as Determined by the Three-Dimensional Polarized Infrared Technique, 27
Skorokhodov, S. S.: see Goldstein, B. N.
Slichter, W. P.: see Kaufman, S.
Smith, Jr., K. J.: Statistical Thermodynamics of Networks at Large Deformations, 2119
Song, S.: see Newman, B. A.
Southern, J. H.: see Crystal, R. G.
Spencer, H. G.: see Block, R. E.
Stein, R. S. and Hashimoto, T.: Scattering of Light by Deformed Disordered Spherulites, 517
—: see Clough, S. B.
—: see Fukuda, M.
—: see Hashimoto, T.
—: see Phillips, P. J.
—: see Van Aartsen, J. J.
—: see Wilkes, G. L.
Stejskal, E. O.: see Droste, D. H.
Stellman, J. M. and Woodward, A. E.: Chain Folding in Poly-*Trans*-1,4-Butadiene Crystals Grown From Various Solvents, 59
Stratton, R. A. and Butcher, A. F.: Experimental Determination of the Rela-

tionships Among Various Measures of Fluid Elasticity, 1703
Stroot, M. T.: see Dishon, M.
Suehiro, S.: see Nomura, S.
Sundararajan, P. R.: see Borch, J.
Swanson, J. W.: see Kindler, Jr., W. A.
Sykes, J. M. and Hoar, T. P.: Contact Angle of Polyethylene on Copper and Its Effect on Adhesion, 887
Tabata, Y.: see Ito, Y.
Tadokoro, H.: see Tanaka, Y.
Taha, I. A. and Morawetz, H.: Catalysis of Ionic Reactions by Polyelectrolytes. IV. Quenching of the Quinine Cation Fluorescence by Fe^{++}, Ag^{+}, and Br^{-} in Solutions of Poly(vinylsulfonic Acid), 1669
Takayanagi, M.: see Kusumoto, N.
Takeuchi, Y.: see Tanaka, Y.
Tanaka, K.: see Kanamoto, T.
Tanaka, Y., Takeuchi, Y., Kobayashi, M., and Tadokoro, H.: Characterization of Diene Polymers. I. Infrared and NMR Studies: Nonadditive Behavior of Characteristic Infrared Bands, 43
Temussi, P. A.: see Bassi, I. W.
Tsarevskaya, I. Yu.: see Kargin, V. A.
Tung, L. H.: Calculation of Long-Chain Branching Distribution from Combined GPC, Sedimentation, and Intrinsic Viscosity Experiments, 759
Udagawa, Y. and Keller, A.: Liquid-Induced Reversible Long-Spacing Changes in Polyethylene Single Crystals and Their Implications for the Fold-Surface Problem, 437
—: see Keller, A.
Uemura, S.: see Osaki, S.
—: see Wilkes, G. L.
Uragami, T. and Oiwa, M.: Studies on Formaldehyde Condensation Resins. XII. Gelation Theory for Tetrafunctional Amino Resins, 1
— and Oiwa, M.: Studies on Formaldehyde Condensation Resins. XIII. Gelation of Acetoguanamine-Formaldehyde Resin, 15
Valko, L.: see Lapčík, L.
Van Aartsen, J. J. and Stein, R. S.: Scattering of Light by Deformed Three-Dimensional Spherulites, 295
Vasudevan, P. and Santappa, M.: Fox-Flory Constant K Obtained by Viscometric Measurements for Poly(ethyl methacrylate) and Poly(methyl methacrylate) Systems, 483
Vermeulen, L. A., Wintle, H. J., and Nicodemo, D. A.: Ultraviolet Photoelectric Effects in Polyethylene, 543
Ver Strate, G. and Wilchinsky, Z. W.: Ethylene-Propylene Copolymers: Degree of Crystallinity and Composition, 127
Vinogradov, G. V., Dzyura, E. A., Malkin, A. Ya., and Grechanovskiĭ, V. A.: Viscoelastic Properties of Linear Polymers in the High-Elastic State, 1153
Wada, Y.: see Nakamura, K.
—: see Yano, O.
Wagner, H. L. and Hoeve, C. A. J.: Effect of Molecular Weight on the Refractive Increment of Polyethylene and *n*-Alkanes, 1763
Wallace, R. A.: Glass Transition in Partially Sulfonated Polystyrene, 1325
Wallace, T. P.: Size-Distribution Analysis of Polymer Latex Systems by Use of the Extrema in the Angular Light-Scattering Pattern: II: The Polarization Ratio, 595
Weiss, G. H.: see Dishon, M.
Weitz, A.: see Wolpert, S.
White, E. F. T.: see Haward, R. N.
White, J. L.: see Yamamoto, M.
Wilchinsky, Z. W.: see Ver Strate, G.
Wild, L., Ranganath, R. and Ryle, T.: Structural Evaluation of Branched Polyethylene by Combined Use of GPC and Gradient-Elution Fractionation, 2137
Wilke, W.: see Glenz, W.
Wilkes, G. L.: Technique of XYZ Photographic Light Scattering as Applied to Uniaxially Drawn Polyethylene, 1531
—, Uemura, Y. and Stein, R. S.: Apparatus for Instantaneously Measuring Ultraviolet, Visible, or Infrared Dichroism from Thin Polymer During High-Speed Stretching, 2151
—: see Fukuda, M.
—: see Phillips, P. J.
Williams, J. L. and Peterlin, A.: Transport Properties of Methylene Chloride in Drawn Polyethylene as a Function of the Draw Ratio, 1483
Wintle, H. J.: see Vermeulen, L. A.
Wolpert, S., Weitz, A., and Wunderlich, B.: Time-Dependent Heat Capacity in the Glass Transition Region, 1887

Wong, C-P., Schrag, J. L., and Ferry, J. D.: Diffusion of Radioactively Tagged D-Fructose Through Swollen Cross-linked Poly(β-hydroxy-methyl Methacrylate) Solutions, 1725
Wooden, D. C.: see Lovering, E. G.
Woodward, A. E.: see Stellman, J. M.
Wrasidlo, W.: Transitions and Relaxations in Aromatic Polymers, 1603
Wunderlich, B.: see Wolpert, S.
Yamada, M., Miyasaka, K., and Ishikawa, K.: Redrawing of Oriented Polyethylene Film, 1083
Yamamoto, M. and White, J. L.: Theory of Deformation and Strain-Induced Crystallization of an Elastomeric Network Polymer, 1399
Yamamoto, T.: see Kusumoto, N.
Yamamura, H.: see Ochiai, H.
Yamashita, Y. and Monobe, K.: Single Crystals of Amylose V Complexes. III. Crystals with 8_1 Helical Configuration, 1471
Yampolskii, P. A.: see Kargin, V. A.
Yano, O. and Wada, Y.: Dynamic Mechanical and Dielectric Relaxations of Polystyrene Below the Glass Temperature, 669
Yasuda, H. and Lamaze, C. E.: Salt Rejection by Polymer Membranes in Reverse Osmosis. I. Nonionic Polymers, 1537
—, Lamaze, C. E., and Schindler, A.: Salt Rejection by Polymer Membranes in Reverse Osmosis. II. Ionic Polymers, 1579
—, Lamaze, C. E., and Peterlin, A.: Diffusive and Hydraulic Permeabilities of Water in Water-Swollen Polymer Membranes, 1117
Yathindra, N. and Rao, V. S. R.: Configurational Statistics of Polysaccharides: V. Free Rotational Dimensions of (1 → 2′)-, (1 → 3′)-, and (1 → 4′)-Linked Polysaccharides, 1149
Yeh, R. and Isihara, A.: Intrinsic Viscosity of Polyelectrolytes in Salt Solutions, 373
Yokoyama, T.: see Eisenberg, A.
Yphantis, D. A.: see Dishon, M.
Zubova, T. P.: see Goldstein, B. N.

SUBJECT INDEX, VOLUME 9

Acetoguanamine-formaldehyde resin, gelation of, 15
Acrolein, radical formation in irradiated, 1495
Acrylamide and methacrylamide copolymers with reactive ester and catalytic groups in side chains, 1657
Adhesion: correlation of solid surface tension with, 363
of polyethylene to copper, 887
Adhesive joints: tensile strength of, 283
energy criterion for failure of, 659
Adsorption: of polydimethylsiloxanes on glass, 331
of polyethylenimine on cellulose, kinetics of, 853
of poly(methyl methacrylate) on homionic montmorillonites, 1681
of styrene-methyl methacrylate copolymers on carbon, 841
n-Alkanes, refractive index increments of, 1763
Amylose V, complex with α-naphthol, crystal structure of, 1471
Annealing, effect of, on polyethylene, 369
Birefringence of nylon 66 films, 1449
Butadiene-styrene copolymers, viscosities of linear and branched, 1839
Cellulose: adsorption of polyethylenimine on, kinetics of, 853
light scattering by, in wood, 313
molecular morphology of, 1025
Chain defects, electronic states at, 747
Chain folding in poly-*trans*-1,4-butadiene crystals, 59
Chondroitin-4-sulfate, calcium salt, dielectric properties of, 917
Chromatography: see also gel permeation chromatography
Conformation of chains in crystalline polyethylene, 385
Copolymers, block, composition equation for, 383
Crosslinked polymers: diffusion of fructose in swollen networks of poly(β-hydroxymethyl methacrylate), 1725
gelation of irradiated poly(propylene oxide), 1729
permeability to water of swollen membranes of, 1117
polyamides, mechanical relaxations in, 867
relaxation process in rubbery polymers, 1371
stress-optical coefficients of swollen networks, 927, 1417
stress-strain and swelling in polyurethane films, 1591
tetrafunctional amino resins, gelation of, 1, 15
theory of deformation and strain-induced crystallization in, 1399
theory of elasticity of networks, 2119
Crystal deformation of drawn polyethylene, 1255
Crystallinity, degree of:
in ethylene-propylene copolymers, 127
in polyethylene, 85
Crystallinity: determination of, from thermal measurements, 1907
effect of, on sorption of methylene chloride by polyethylene, 1483
of poly(β-benzyl L-aspartate), 1977
Crystallite size in drawn polyethylene, 1243
Crystallization: of network polymers, theory of strain-induced, 1399
of polyethylene at high pressures, 385, 2059
of polyethylene from solutions, 531, 779
Crystal orientation, theory of distribution for, in spherulitic polymers, 1991
Crystals, fold surfaces of, oxidative degradation study of, 1777, 1793, 1807
Deformation: mechanism of, at low temperatures or under high force, 1061
of network polymers, theory of, 1399
of polybutadiene rubbers, 1371
of polyethylene, 67, 453, 1083, 1243, 1255
of poly(ethylene terephthalate), 1919
of polypropylene, 181, 895, 1061

Degradation, oxidative, of polyethylene crystals, 1777, 1793, 1807
Dichroism during stretching, apparatus for measurement of ultraviolet, visible, or infrared, 2151
Dielectric properties: of calcium chondroitin-4-sulfate, effect of water on, 917
of ethylene-carbon monoxide copolymers, 499
of poly(β-benzyl L-aspartate), 1977
of poly-ε-caprolactam, 2097
of polyquinoxalines, 1603
of polystyrene, 669
of poly(vinyl fluoride), 585
of poly(vinylidene fluoride), 161, 585
Diethylene glycol, apparent specific volume of aqueous, 115
Differential thermal analysis:
of ethylene-propylene copolymers, 127
of nylons, 1693
of poly(β-benzyl L-aspartate), 1977
of polyethylene, 1243, 2059
of polymers in the glass transition region, 1887
of polyquinoxalines, 1603
Diffusion: generalization of Fick's equation for, 755
of fructose in swollen poly(β-hydroxymethyl methacrylate) networks, 1725
of gases in polyethylene, mechanisms of, 1935
of methylene chloride in drawn polyethylene, 1483
of water and salt in nonionic and ionic polymer membranes, 1537, 1579
of water in swollen polymer membranes, 1117
Dilatometry: of ethylene-propylene copolymer and grafted copolymer, 1287
of poly(β-benzyl L-aspartate), 1977
of polyquinoxalines, 1603
of solutions of polyglycols, 115
Dimethyl itaconate, kinetics of polymerization of, 1525
Dipropylene glycol, apparent specific volume of aqueous, 115
Dissolution of poly(vinyl chloride) in cyclohexanone, kinetics of, 633
Distribution function for composition of copolymer from sedimentation, 1871
Distribution function for orientation of structural units in polymers, 407, 1991
Dynamic mechanical properties: of crazed polystyrene, 1915
of ethylene-carbon monoxide copolymers, 499
of polyamides, 867
of poly(1,4-cyclohexylene ether) and poly(cyclohexylethylene oxide), 1341
of poly(ethylene terephthalate), 1345
of polyhalostyrenes, 1915
of poly(isobutyl methacrylate), 431
of polymers containing aromatic groups, 1097
of polymers containing phenyl side groups, 1133
of polyquinoxalines, 1603
of polystyrene, 669
of polystyrene solutions, 2009
of poly(vinyl acetate) solutions, 2009
Electron diffraction: of amylose V complexes with α-naphthol, 1471
of poly-*trans*-1,4-butadiene crystals, 59
of polyethylene, 1641
of terephthalamide nylons, 2079
Electron microscopy: of cellulose, 1025
of linear aliphatic polyester single crystals, 2041
of organosilicone polymers, 143
of poly-*trans*-1,4-butadiene crystals, 59
of polyethylene crystallized under high pressure, 385, 1641, 2059
of polyethylene under deformation, 453, 1255
of polymers under deformation at low temperature or under high force, 1061
of polypropylene under deformation, 895
of terephthalamide nylons, 2079
Electron spin resonance following gamma irradiation:
of polyethylene, 1173
of poly(ethylene 2,6-naphthalene dicarboxylate), 2111
of poly(ethylene terephthalate), 1911
of vinyl monomers, 1495
Electron spin resonance of irradiated poly(4-methyl pentene-1), 999
Ethylene-carbon monoxide copolymers, dielectric and rheo-optical properties of, 499
Ethylene-propylene copolymers:
degree of crystallinity and composition of, 127
viscoelastic properties of, 1271

Ethylene-propylene-vinyl chloride graft copolymers, viscoelasticity of, 1287
Filled polymers, nuclear magnetic resonance in, 187, 829
Fluorescence quenching in the presence of polyvinylsulfonate, 1669
Formaldehyde condensation resins, gelation of, 1, 15
Fractionation: in gel columns, theory of, 245
of polyethylene in crystallization, 779
of polyethylene in crystallization under high pressure, 2059
Fructose, diffusion in swollen poly(β-hydroxymethyl methacrylate), 1725
Gelation: of acetoguanamine-formaldehyde resin, 15
of irradiated poly(propylene oxide), 1729
theory for tetrafunctional amino resins, 1
Gel permeation chromatography:
anomalous elution of solute in, 377
branching of polyethylene evaluated by, 2137
effect of viscosity of solvent on, 2255
method for analysis of long-chain branching, 421, 759
of polyethylene after oxidative degradation, 1777, 1793, 1807
of polyethylene fractions, 779
theory of axial dispersion of solute zones in, 245
Glass transition temperature: in ionic acrylates, 2131
in nylons, 1693
of ethylene-propylene copolymers, 1271
of polymers containing phenyl side groups, 1133
of sulfonated polystyrene, 1325
Glucose, differential thermal analysis, 1887
Gradient-elution fractionation of branched polyethylene, 2137
Hydrogen bonding in nylons, 1693
Infrared dichroism: apparatus for instantaneous measurement of, 2151
of ethylene-carbon monoxide copolymer, 499
of linear and ethyl-branched polyethylene, 1191
Infrared extinction coefficients of diene polymers, nonadditive behavior of, 43
Infrared spectra: of brominated polyethylene, 1305
of diene polymers, 43
of drawn polyethylene, 1191
of ethylene-carbon monoxide copolymers, 499
of irradiated poly(propylene oxide), 1729
of methyl acetate-montmorillonite-cation complexes, 1681
of methyl methacrylate-montmorillonite-cation complexes, 1681
of poly(β-benzyl L-aspartate), 1977
of polybutadienes, 43
of polyethylene crystals after oxidative degradation, 1777, 1793, 1807
of polyisoprenes, 43
polarized, of nylon 6 films, 27
Irradiation, gamma:
of poly(ethylene 2,6-naphthalene dicarboxylate), 2111
of polyethylene single crystals, 1173
of poly(ethylene terephthalate), 1911
Irradiation, gamma and electron, of poly(propylene oxide), 1729
Irradiation of poly(4-methylpentene-1), electron, x-ray, and ultraviolet, 999
Kinetics:
cooperative effects in reactions of functional groups on polymer chains, 769
multicomponent copolymers, theory of probability relations in, 577
of adsorption of polyethylenimine on cellulose, 853
of bromination of polyethylene crystals, 1305
of continuous emulsion polymerization of styrene, 1955
of copolymerization of vinylidene chloride and methacrylonitrile, 2247
of dissolution of poly(vinyl chloride) in cyclohexanone, 633
of ester solvolysis with intramolecular catalysis in acrylamide copolymer chains, 1657
of gelation of tetrafunctional amino resins, 1, 15
of polymerization of dimethyl itaconate measured by position annihilation method, 1525
of radical decay in irradiated polyethylene, 1173

stereosequence distribution, theory of, from monomer-dimer polymerization model, 615
time-dependent heat capacities in the glass transition region, 1887
Light scattering: by cellulose, 313
by deformed spherulites, 295, 517, 1147
by ethylene-carbon monoxide copolymers, 499
effect of fluctuations in anisotropy upon, 1747
theory for anisotropic cylinder, 2103
theory for anisotropic spheres and disks, 2165
XYZ photographic technique for, 1531
Light scattering in solutions:
of branched polystyrene, 687
of polystyrene, 1553
size distribution analysis of polymer latex systems, 595
thermodynamic parameters of polymer-solvent systems from, 1553
Mechanical properties of polyethylene under deformation, 67
Melting temperature of *trans*-1,4-polyisoprene, 175
Methyl acrylate: crystal structure of, 1509
radical formation in irradiation of, 1495
Methyl methacrylate: absorption on montmorillonite, 1681
radical formation in irradiation of, 1495
Molecular motion: in nylon 66, 1449, 1851, 2031
in polyethylene determined from neutron scattering, 1219
in poly(ethylene terephthalate), 1345
in polymers containing aromatic groups, 1097
in polymers containing phenyl side groups, 1133
in polyoxymethylene, 557
in polyquinoxalines and polyphenylquinoxalines, 1603
in polysaccharide chains, 1149
in polystyrene, 669
in poly(vinyl fluoride), 2093
in rubber, 829
vibrational analysis of poly(vinylidene fluoride), 1517
Molecular orientation: in drawn polyethylene, 1191
in nylon 6 films, 27
Molecular structure: long-chain branching in polymers, 421, 2137
of amylose V complex with α-naphthol, 1471
Molecular weight distribution:
determination of, in long-chain branched polymers, 759
effect on surface tension of solutions, 1333
effect on viscoelastic properties, 345
in gelation of acetoguanamine-formaldehyde resin, 15
Morphology: of brominated polyethylene crystals, 1305
of cellulose, 1025
of linear aliphatic polyester single crystals, 2041
of organosilicon polymers, 143
of partially crystalline polyethylene, 85, 1243
of polyamide spherulites, 815
of polyethylene crystallized at high pressure, 385
of polyethylene crystallized from solutions, 531
of polyethylene crystallized under pressure and orientation, 1641
of polyethylene crystals by nitric acid degradation method, 1793
of polyethylene crystals by ozone degradation method, 1777
of polyethylene in biaxial stretching, 1235
of polyethylene in plastic deformation, 67, 1243, 1255
of polyethylene in swollen crystals, 437
of polyoxymethylene crystals, 557
of polypropylene under deformation, 895
of wood, 313
Networks: diffusion of fructose in swollen poly(β-hydroxymethyl methacrylate), 1725
gelation of tetrafunctional amino resins, 1, 15
permeability of swollen membranes to water, 1117
salt rejection and water flux in membranes of nonionic and ionic polymers, 1537, 1579
sorption properties of polypropylene, 1629
stress-optical coefficients of swollen, 927, 1417

stress-strain and swelling in polyurethane films, 1591
theory of deformation and strain-induced crystallization of, 1399
theory of elasticity of, 2119
Neutron scattering study of chain motion in polyethylene, 1219
Nuclear magnetic resonance: of deuterated polybutadiene and polyisoprene, 43
of filled polymers, 187
of nylon 66, 1447, 1851, 2031
of polybutadienes, 43
of polyisoprenes, 43
of polyoxymethylene, 557
of rubber filled with carbon black, 829
of vinylidene chloride-methacrylonitrile copolymers, 2107, 2247
spin-lattice relaxation in atactic polystyrenes, 1719
Nylon: mechanical relaxations in, 867
photoelectric effect in, 569
Nylon 6 films, orientation in, by polarized infrared spectroscopy, 27
Nylon 66, motion of chain segments in, 1449, 1851, 2031
Nylons, spherulites in crystalline, 815
Nylons, terephthalamide, crystals of, 2079
Optical anisotropy: effect on light scattering of fluctuations in, 1747
in swollen polymer networks, 927
of poly-1,4-butadienes, 1417
of polyethylene chains, 961
of polyoxyethylene chains, 983
Optical microscopy: of polyamide crystals, 815
of wood, 313
Optical rotation of poly(4-methylhexene-1), 193
Organosilicon polymers, morphology of, 143
Pentaethylene glycol, apparent specific volume of aqueous, 115
Pentapropylene glycol, apparent specific volume of aqueous, 115
Photoelectric effects in polymers, 543, 569
Piezoelectricity: in poly(γ-benzyl L-glutamate) films, 2021
in poly(vinylidene fluoride), 161
Poly(acrylic acid) and salts, glass transition in, 2131
Polyamides: mechanical relaxations in, 867
spherulites in crystals of, 815
Poly(β-benzyl L-aspartate), crystallinity and conformation of, 1977
Poly(γ-benzyl L-glutamate), piezoelectricity in, 2021
Polybromostyrene, dynamic mechanical properties of, 1915
Poly-*trans*-1,4-butadiene, chain folding in crystals of, 59
Polybutadiene: stress-optical coefficient of, 1417
viscoelastic properties of, 1153
Poly(butadiene-acrylonitrile), stress relaxation in, 1371
Poly(butadiene-methylstyrene), stress relaxation in, 1371
Poly-ϵ-caprolactam, dielectric properties, of, 2097
Polycarbonates, dimer and trimers as model compounds for kinetics of aminolysis of, 769
Poly(carborane siloxane), ultrasonic propagation in, 763
Polychlorostyrene, dynamic mechanical properties of, 1915
Polychloro-*p*-xylylene) low temperature mechanical relaxation in, 1097
Poly(1,4-cyclohexylene ether), dynamic mechanical properties of, 1341
Poly(cyclohexylethylene oxide), dynamic mechanical properties of, 1341
Poly(decamethylene 1,16-hexadecanedicarboxylate), morphology of crystals of, 2041
Poly(dian-carbonate), low temperature mechanical relaxation in, 1097
Polydichloro-*p*-xylylene, low temperature mechanical relaxation in, 1097
Poly(2,6-dimethyl-1,4-phenylene ether), differential thermal analysis of, 1887
Poly(2,6-dimethyl-*p*-phenylene oxide), low temperature mechanical relaxation in, 1097
Polydimethylsiloxanes, adsorption on glass, 331
Polyelectrolytes: dielectric behavior of calcium chondroitin-4-sulfate, 917
effect on quenching of fluorescence, 1669
glass transition in ionic acrylates, 2131
salt and water transport in membranes of ionic polymers, 1579
viscosity of, in salt solutions, 373, 2253

Polyene chains, electronic states at defects in, 747
Polyesters, linear aliphatic, morphology of single crystals of, 2041
Polyethylene: adhesion of, to copper, 887
annealing, effect of, on drawn, 369
bromination of single crystals of, 1305
chain motion in, from neutron scattering, 1219
crystallite size in drawn, 1243
crystallization at high pressures, 385, 2059
crystal morphology from oxidative degradation studies, 1777, 1793, 1807
deformation of, 67, 453, 1083, 1255
diffusion of methylene chloride in, 1483
diffusion mechanisms in solid and molten, 1935
fractionation during crystallization, 779
gamma irradiated single crystals of, 1173
infrared dichroism of, 1191
long-chain branching in, 421, 2137
method for evaluating branched structure in, 2137
morphology of crystals formed under pressure and orientation, 1641
morphology of crystals from solutions of, 531
optical anisotropy of chains of, 961
photographic light-scattering technique applied to, 1531
refractive index increment and molecular weight of, 1763
stress-optical coefficients of swollen networks of, 927
swelling of crystalline, 437
ultraviolet photoelectric effects in, 543
x-ray diffraction of, 85, 437, 645, 1083, 1235, 1243
Poly(ethylene glycol), apparent specific volume of aqueous, 115
Poly(ethylene 2,6-naphthalene dicarboxylate), radical formation in, 2111
Poly(ethylene sebacate), morphology of crystals of, 2041
Poly(ethylene terephthalate): crystallinity of, 1907
deformation of, 1919
dynamic mechanical properties of, 1345
radical formation in, 1911
Polyethylenimine, adsorption kinetics of, 853
Poly(ethyl methacrylate), effect of solvent on viscosity of, 483
Polyglycols, apparent specific volume and conformation of aqueous, 115
Poly(hexamethylene sebacate), morphology of crystals of, 2041
Poly(β-hydroxylmethyl methacrylate), diffusion of fructose in swollen, 1725
Poly(isobutyl methacrylate), relaxation processes in, 431
trans-1,4-Polyisoprene, melting temperatures of, 175
Polyisoprenes, stress-optical coefficients in swollen networks of, 927
Poly(methylene oxide), solid surface tension of, 363
Poly(4-methylhexene-1), x-ray and polarimetric study of, 193
Poly(methyl methacrylate): differential thermal analysis of, 1887
effect of cations on tacticity of monolayers of, 1681
effect of solvent on viscosity of, 483
Poly(4-methylpentene-1), electron spin resonance of irradiated ,999
Poly(α-methylstyrene), shear flow in solutions of, 345
Polyoxyethylene, optical anisotropy of chains of, 983
Poly(phenyl acrylates), glass transition temperature and dynamic mechanical properties of, 1133
Polyphenylquinoxalines, transitions and relaxations in, 1603
Polypropylene: electron microscopy of, under deformation, 895, 1061
phase transformation in, 181
swelling of, 1629
Poly(propylene glycol), apparent specific volume of aqueous, 115
Poly(propylene oxide), radiation chemistry of, 1729
Polyquinoxalines, transitions and relaxations in, 1603
Polysaccharides, chain configurations in, 1149
Polystyrene: crazed, dynamic mechanical properties of, 1915
dielectric properties of, 669

differential thermal analysis of, 1887
dynamic mechanical properties of, 669
dynamic mechanical properties of solutions of, 2009
formation of, by continuous emulsion polymerization of styrene, 1955
light scattering from solutions of branched chains of, 687
low-temperature mechanical relaxation in, 1097
oscillatory shear flow of melts of, 267
pressure dependence of viscosity of, 463, 731
refractive index increment and molecular weight of, 1763
spin-lattice relaxation in, 1719
stress-optical coefficients of swollen networks of, 927
stress relaxation in, 609, 1703
stress-strain behavior, 801
sulfonated, glass transition in, 1325
viscoelastic behavior of low molecular weight, 209
viscoelastic properties of, 1153, 1703
viscometry of solutions of branched chains of, 687
Polysulfone, low-temperature mechanical relaxation in, 1097
Polytetrafluoroethylene, solid surface tension of, 363
Polyurethane, stress-strain and swelling in films of, 1591
Poly(vinyl acetate): dynamic mechanical properties of solutions of, 2009
photoelectric effect in, 569
Poly(vinyl alcohol), photoelectric effect in, 569
Poly(vinyl benzoates), glass transition temperatures and dynamic mechanical properties of, 1133
Poly(vinyl chloride): differential thermal analysis of, 1887
kinetics of disolution of, 633
Poly(vinyl chloride), dehydrohalogenated, dichroism of, 2151
Poly(vinylene carbonate), model compound study of kinetics of aminolysis of, 769
Poly(vinyl fluoride): dielectric properties of, 585
photoelectric effect in, 569
viscoelastic properties of, 2093
Poly(vinylidene fluoride): dielectric properties of, 585
piezoelectricity in, 161
Raman spectrum of, 1517
Poly(vinyl phenyl ketones), glass transition temperatures and dynamic mechanical properties of, 1133
Polyvinylsulfonate, effect on fluorescence quenching, 1669
Poly-*p*-xylylene, low-temperature mechanical relaxation in, 1097
Position annihilation method for study of solid-state polymerization, 1525
Proton magnetic resonance spectra of vinylidene chloride-methacrylonitrile copolymers, 2107, 2247
Radiation-induced polymerization, radical pair formation in, 1495
Raman spectra: of poly(vinylidene fluoride), 1517
of vinyl chloride-vinylidene chloride copolymers, 717
Refractive index increments and molecular weights of polyethylene and *n*-alkanes, 1763
Rubber, carbon black filled, nuclear magnetic resonance of, 829
Rubber, natural, melting of *trans*-1,4-polyisoprene from, 175
Rubber, polybutadiene: deformation of, 1061
stress-optical coefficient of, 1417
viscoelastic properties of, 1153
Rubber, polystyrene, viscoelastic properties of, 1153
Rubber, polystyrene latex and butadiene-styrene latex, size distribution from angular scattering, 595
Rubbery polymers, relaxation at low temperatures in, 1371
Salt rejection by nonionic and ionic polymer membranes in reverse osmosis, 1537, 1579
Second virial coefficient, 687, 1379
Sedimentation coefficient and long-chain branching distribution, 759
Sedimentation coefficient, theory for pressure dependence of, 939
Sedimentation-diffusion equilibrium: compositional distribution of copolymer from, 1871
in heterogeneous solute systems, 1379
Selenium, differential thermal analysis of, 1887

Shear flow, effect of molecular weight heterogeneity on, 345
Shear flow, oscillatory, of polystyrene melts, 267
Spherulites: deformed, light scattering by, 295, 517, 1147, 1747, 2165
distribution function for orientation of, 1991
in polyamides, 815
in polyethylene, 85
theory of light scattering by, 2165
Strain-induced crystallization in networks, theory of, 1399
Stress, effect of, on adhesive joints, 283
Stress-induced phase transformation in polypropylene, 181
Stress-optical coefficients: of poly-1,4-butadienes, 1417
of swollen polymer networks, 927
Stress oscillations during extension of poly(ethylene terephthalate), 1919
Stress relaxation: in monodisperse polystyrene, 1703
in rubbery polymers, 1371
Stress-strain relations: in glassy thermoplastics, 801
in networks, theory of, 2119
in polyethylene under deformation, 67, 453
in polyurethane films, 1591
in the primary transition region, 609
Styrene, continuous emulsion polymerization of, 1955
Styrene-methyl acrylate copolymer, compositional distribution from sedimentation of, 1871
Styrene-methyl methacrylate copolymer, adsorption on carbon of, 841
Surface tension of polymer solutions, effect on molecular weight distribution on, 1333
Surface tension, solid, and wettability of polymers, 363
Swelling: of poly-1,4-butadiene networks, 1417
of polyethylene crystals, 437
of polypropylene, 1629
of polyurethane films, 1591
Tacticity of poly(methyl methacrylate) in monolayers, effect of cations on, 1681
Temperature dependence of viscoelastic behavior of low molecular weight polystyrene, 209
Terephthalamide nylons, crystals of, 2079
Tetraethylene glycol, apparent specific volume of aqueous, 115
Tetrapropylene glycol, apparent specific volume of aqueous, 115
Thermal behavior: of brominated polyethylene crystals, 1305
of ethylene-carbon monoxide copolymer, 499
of polyethylene crystallized from solution, 531
Thermodynamic parameters from light scattering in solutions, 1553
Thermodynamic properties of polyquinoxalines, 1603
Thermodynamics, statistical: of branched polymer chains in solution, 687
of elasticity of networks, 2119
of sedimentation-diffusion equilibrium for heterogeneous solute systems, 1379
of volume changes on mixing polyglycols and water, 115
Triethylene glycol, apparent specific volume of aqueous, 115
Tripropylene glycol, apparent specific volume of aqueous, 115
Ultrasonic propagation in poly(carborane siloxane), 763
Ultraviolet absorption spectra of irradiated poly(propylene oxide), 1729
Ultraviolet photoelectric effects in polyethylene, 543
Vinyl chloride-vinylidene chloride copolymers, Raman spectra of, 717
Vinylidene chloride-methacrylonitrile copolymers, proton magnetic resonance of, 2107, 2247
Viscoelastic properties: adhesive joints and, 283, 659
of butadiene-styrene polymers, linear and branched, 1839
of ethylene-propylene copolymers, 1271
of ethylene-propylene-vinyl chloride graft copolymers, 1287
of linear polymers in high-elastic state, 1153
of networks, theory of, 2119
of poly(α-methylstyrenes), 345
of polystyrene, 209 267, 1703
of poly(vinyl fluoride), 2093
Viscosity: effect of, on elution in gel permeation chromatography, 2269

effect of pressure on, 463, 731
of irradiated poly(propylene oxide), 1729
of low molecular weight polystyrene, 209, 463
of polyelectrolytes in salt solution, 373, 2253
of solutions of branched chain polystyrene, 687
of solutions of polymethacrylates, effect of solvent on, 483
use of, in analysis of long-chain branching, 421, 759
Wood, morphology of, from light scattering, 313
X-ray diffraction: of amylose V complexes with α-naphthol, 1471
of brominated polyethylene crystals, 1305
of cellulose, 1025
of ethylene-carbon monoxide copolymers, 499
of ethylene-propylene copolymers, 127
of linear aliphatic polyesters, 2041
of methyl acrylate, 1509
of nylon 66, 1447
of poly(β-benzyl L-aspartate), 1977
of polyethylene, 85, 437, 645, 1083, 1235, 1243, 1255
of polymers, analysis of small-angle, 645
of poly(4-methylhexene-1), 193
of terephthalamide nylons, 2079